

DFK37U シリーズ

型番	解像度	センサーサイズ	フレームレート	シャッター	M12 220	M12 250	M12 280	HAL250 3.0	HAL250 3.6	HAL200 3.6
DFK37BUX287 DMK37BUX287	720×540	1/2.9" (5.0×3.7mm ϕ 6.2mm)	540	global						
DBK37BUX273 DMK37BUX273	1440×1080	1/2.9" (5.0×3.7mm ϕ 6.2mm)	238	global						
DBK37BUX290 DMK37BUX290	1920×1080	1/2.8" (5.3×3.0mm ϕ 6.1mm)	143	rolling						
DBK37BUX265 DMK37BUX265	2048×1536	1/1.8" (7.1×5.3mm ϕ 8.9mm)	60	global						
DBK37BUX252 DMK37BUX252	2048×1536	1/1.8" (7.1×5.3mm ϕ 8.9mm)	119	global						
DBK37BUX264 DMK37BUX264	2448×2048	2/3" (8.5×8.1mm ϕ 11.0mm)	38	global						
DBK37BUX250 DMK37BUX250	2448×2048	2/3" (8.5×8.1mm ϕ 11.0mm)	75	global						
DBK37BUX178 DMK37BUX178	3072×2048	1/1.8" (7.1×5.3mm ϕ 8.9mm)	60	rolling						

— 250° — 200°
- - - 180°

DFK33U シリーズ

型番	解像度	センサーサイズ	フレーム レート	シャッター	M12 220	M12 250	M12 280	HAL250 3.0	HAL250 3.6	HAL200 3.6
DBK33UX287 DMK33UX287	750×540	1/2.9" (5.0×3.7mm ϕ 6.2mm)	539	global						
DBK33UX273 DMK33UX273	1440×1080	1/2.9" (5.0×3.7mm ϕ 6.2mm)	238	global						
DBK33UP1300 DMK33UP1300	1280×1024	1/2" (6.1×4.9mm ϕ 7.8mm)	210	global						
DBK33UP2000 DMK33UP2000	1920×1200	2/3" (9.1×5.8mm ϕ 10.8mm)	129	global						
DBK33UX290 DMK33UX290	1920×1080	1/2.8" (5.3×3.0mm ϕ 6.1mm)	143	rolling						
DBK33UX252 DMK33UX252	2048×1536	1/1.8" (7.1×5.3mm ϕ 8.9mm)	120	global						
DBK33UX265 DMK33UX265	2048×1536	1/1.8" (7.1×5.3mm ϕ 8.9mm)	60	global						
DBK33UX250 DMK33UX250	2448×2048	2/3" (8.5×8.1mm ϕ 11.0mm)	75	global						
DBK33UX264 DMK33UX264	2448×2048	2/3" (8.5×8.1mm ϕ 11.0mm)	38	global						
DBK33UX178 DMK33UX178	3072×2048	1/1.8" (7.3×4.9mm ϕ 8.8mm)	60	rolling						
DBK33UJ003 DMK33UJ003	3856×2764	1/2.3" (6.4×4.6mm ϕ 7.9mm)	14	rolling						
DMK33UX226	4000×3000	1/1.7" (7.4×5.6mm ϕ 9.3mm)	18	rolling						

DFK27U シリーズ

型番	解像度	センサーサイズ	フレームレート	シャッター	M12 220	M12 250	M12 280	HAL250 3.0	HAL250 3.6	HAL200 3.6
DBK27BUR0135 DMK27BUR0135	1280×960	1/3" (4.8×3.6mm ϕ 6.0mm)	60	global						
DBK27BUP006 DMK27BUP031	2592×1944	1/2.5" (5.7×4.3mm ϕ 7.1mm)	15	rolling						
DBK27BUJ003 DMK27BUJ003	3856×2764	1/2.3" (6.4×4.6mm ϕ 7.9mm)	6	rolling						

DFK22/42/72 シリーズ

型番	解像度	センサーサイズ	フレームレート	シャッター	M12 220	M12 250	M12 280	HAL250 3.0	HAL250 3.6	HAL200 3.6
DBK22BUC03 DMK22BUC03	744×480	1/3" (5.0×3.7mm ϕ 6.2mm)	76	global						
DBK42BUC03 DMK42BUC03	1280×960	1/3"" (4.8×3.6mm ϕ 6.0mm)	25	global						
DBK72BUC02 DMK72BUC02	2592×1944	1/2.5" (5.7×4.3mm ϕ 7.1mm)	6	rolling						

DFK33G シリーズ

型番	解像度	センサーサイズ	フレームレート	シャッター	M12 220	M12 250	M12 280	HAL250 3.0	HAL250 3.6	HAL200 3.6
DBK33GX287 DMK33GX287	750×540	1/2.9" (5.0×3.7mm ϕ 6.2mm)	300	global						
DBK33GX273 DMK33GX273	1440×1080	1/2.9" (5.0×3.7mm ϕ 6.2mm)	75	global						
DBK33GP1300ecs DMK33GP1300ecs	1280×1024	1/2" (6.1×4.9mm ϕ 7.8mm)	90	global						
DBK33GP2000ecs DMK33GP2000ecs	1920×1200	2/3" (9.1×5.8mm ϕ 10.8mm)	50	global						
DBK33GX290ecs DMK33GX290ecs	1920×1080	1/2.8" (5.3×3.0mm ϕ 6.1mm)	56	rolling						
DBK33GX265(ecs) DMK33GX265(ecs)	2048×1536	1/1.8" (7.1×5.3mm ϕ 8.9mm)	36	global						
DBK33GX264(ecs) DMK33GX264(ecs)	2448×2048	2/3" (8.5×8.1mm ϕ 11.0mm)	24	global						
DBK33GX178 DMK33GX178	3072×2048	1/1.8" (7.3×4.9mm ϕ 8.8mm)	19	rolling						
DBK33GJ003ecs DMK33GJ003ecs	3856×2764	1/2.3" (6.4×4.6mm ϕ 7.9mm)	11	rolling						
DBK33GX226 DMK33GX226	4000×3000	1/1.7" (7.4×5.6mm ϕ 9.3mm)	9	rolling						